

### FPMA-D700DD6

### **NEOMOUNTS FPMA-D700DD6 MONITOR STAND**

#### **SPECIFICATIONS**

#### **GENERAL**

Min. screen size\* 10 inch
Max. screen size\* 27 inch

Min. weight 0 kg (per screen)

Max. weight 8 kg (per screen)

Screens 6

VESA minimum 75x75 mm
VESA maximum 100x100 mm
Desk mount Grommet
Stand

#### **FUNCTIONALITY**

Height adjustment 32-88 cm
Width adjustment 129 cm
Depth adjustment 37 cm
Tilt (degrees) 180°
Swivel (degrees) 180°
Pivot points 1
Rotate (degrees) 360°
Adjustment type Manual

#### INFORMATION

ColorBlackMain materialSteelWarranty5 year

EAN code 8717371446918





Neomount

# Neomounts FPMA-D700DD6 Monitor stand for 6 screens - 10-27" - 0-8 kg/screen - black

The Neomounts desk mount, model FPMA-D700DD6 is a tilt-, swivel and rotatable desk mount for 6 flat screens up to 27". This mount is a great choice for placement on desks using a desk stand.

Neomounts versatile tilt (180°), rotate (360°) and swivel (180°) technology allows the mount to change to any viewing angle to fully benefit from the capabilities of the flat screen. The mount is manually height adjustable from 32 to 88 centimetres. An innovative cable management conceals and routes cables from mount to flat screen. Hide your cables to keep the workplace nice and tidy.

Neomounts FPMA-D700DD6 has one pivot point and is suitable for screens up to 27" (69 cm). The weight capacity of this product is 8 kg each screen. The desk mount is suitable for screens that meet VESA hole pattern 75x75 or 100x100mm. Different hole patterns can be covered using Neomounts VESA adapter plates.

By using an ergonomic mount neck- and back complaints can be avoided. Ideal for use in offices and on counters or in a reception area.

All installation material is included with the product.

<sup>\*</sup>Please note: The inch sizes stated are just an indication, combined with the weight and VESA sizes. The maximum weight and VESA size are absolute restrictions for the products and should not be exceeded.



# FPMA-D700DD6

## **NEOMOUNTS FPMA-D700DD6 MONITOR STAND**

